| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|---------------------|---------|------------------|
| L2 | 0 | "607732".pn. and (((executable adj program) "42") same object) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 08:23 |
| L3 | . 0 | "607732".pn. and (((executable adj program) "42") same2 object) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:03 |
| L4 | 0 | (breakpoint (break adj point)) with (entrypoint (entry adj point)) with (each all) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:05 |
| L5 . | 0 | (breakpoint (break adj point)) with (entrypoint (entry adj point)) with (each all every) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:10 |
| L6 | 119 | (breakpoint (break adj point)) with (entrypoint (entry adj point)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:12 |
| L7 | 247 | (breakpoint (break adj point) trace) with (entrypoint (entry adj point)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:05 |
| L8 | 1 | (breakpoint (break adj point) trace) with (entrypoint (entry adj point)) with (each every all) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:06 |
| L9 | 1 | "10".src. and "666033".ap. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:08 |
| L10 | 0 | 9 and 5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:09 |

| | | | • | • | | |
|-------|---------|--|---|----|----|------------------|
| L11 | 1 | 9 and 6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:11 |
| L12 | 0 | (breakpoint (break adj point)) with (entrypoint (entry adj point)) with ("each" "all" "every") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:10 |
| L13 | 3042 | each | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:11 |
| L14 . | 3958 | all | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:11 |
| L15 | 1108831 | every | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:11 |
| L16 | 3042 | "each" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:11 |
| L17 | 99 | 6 and @ay<="2002" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:12 |
| L18 | 4 | ("6240545" "20030106046").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:31 |
| L19 | 0 | 18 and entry adj point | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:22 |
| L20 | 0 | 18 and remove | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 09:22 |

| | | | - | | | |
|-----|----|---|---|-----|----|------------------|
| L21 | 31 | bates.in. and (remov\$4 with breakpoint) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:12 |
| L22 | 21 | bates.in. and (remov\$4 with breakpoint) and @ay<="2002" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:12 |
| L23 | 2 | bates.in. and (remov\$4 with breakpoint) and @py<="2002" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:14 |
| L24 | 14 | bates.in. and (remov\$4 with breakpoint) and @py<="2003" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:14 |
| L25 | 4 | ("6077312" "20030106046").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:31 |
| L26 | 1 | 25 and (temp temporary remove) with breakpoint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:32 |
| L27 | 1 | 25 and (temp temporary remove) with (breakpoint (break adj point)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | .OR | ON | 2007/02/02 11:33 |
| L28 | 21 | (US-20030106046-\$ or US-20040068720-\$ or US-20040003375-\$ or US-20030188225-\$ or US-20030101431-\$ or US-20030079215-\$).did. or (US-6077312-\$ or US-5845125-\$ or US-5970248-\$ or US-6769116-\$ or US-7047521-\$ or US-5778230-\$ or US-5093914-\$ or US-6983454-\$ or US-6324683-\$ or US-6249907-\$ or US-5970245-\$).did. or (JP-08022401-\$).did. or (RD-454132-\$).did. | US-PGPUB; USPAT; JPO; DERWENT | OR | ON | 2007/02/02 11:33 |

| | | | | | | , |
|-----|-----|--|---|----|------|------------------|
| L29 | 6 | 28 and (temp temporary remove) with (breakpoint (break adj point)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:35 |
| L30 | 703 | (temp temporary remove) with (breakpoint (break adj point)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:36 |
| L31 | 441 | (temp temporary) with (breakpoint (break adj point)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:36 |
| L32 | 5 | (temp temporary) with (breakpoint (break adj point)) with remove | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:38 |
| L33 | 25 | (temp temporary) with (breakpoint (break adj point)) with (remov\$3 clear\$3 delet\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/02 11:39 |
| S1 | 16 | Context with sensitive with breakpoint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 13:43 |
| S2 | 35 | ("5375125" "5446900" "5652835" "5845125" "5860009" "5862379" "5910895" "5926176" "5953735" "5970248" "6021488").PN. OR ("6077312"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/30 16:16 |
| S3 | 45 | breakpoint with ((method funciton routine) near call\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON ` | 2007/01/31 08:05 |
| S4 | 40 | S3 not Bates.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 08:05 |

| | | | • | | | |
|-----|----------|---|---|----|----|------------------|
| S5 | 5 | (breakpoint with ((method funciton routine) near call\$4)) with entr\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 08:28 |
| S6 | ·13 | (breakpoint with ((method funciton routine) near call\$4)) with set\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:03 |
| S7 | 408 | (debug\$4 trac\$5) with parameter with call | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:22 |
| S8 | 23563129 | S7 @ay<="2002" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:04 |
| S9 | 311 | S7 and @ay<="2003" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:04 |
| S10 | . 0 | S7 and Mitchell.xp. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:06 |
| S11 | 1 | S7 and Mitchell.xa. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:08 |
| S12 | 2467 | (David and Mitchell).xp. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:11 |
| S13 | 12 | (Jason and Mitchell).xa. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:14 |
| S14 | 7 | indicat\$4 with call with set with breakpoint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:19 |

| S15 | 0 | insert\$3 with jump with ((data instrument\$5 trace profile) adj gater\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:26 |
|-----|-------|--|---|----|------|------------------|
| S16 | 0 | insert\$3 with jump with ((data instrument\$5 trace profile) adj gather\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:27 |
| S17 | 22677 | ((data instrument\$5 trace profile) adj gather\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:27 |
| S18 | 1567 | insert\$3 with jump | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2007/01/31 09:27 |
| S19 | 11617 | insert\$3 with (jump call redirect\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:27 |
| S20 | 5 | S17 with S19 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 09:27 |
| S21 | 13 | ("5093914" "5560009" "5740440" "5764989" "5778230" "5812850" "5845125" "5848274" "5854931").PN. OR ("6240545").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 10:01 |
| S22 | 9 | S21 and (set\$4 insert\$4) with breakpoint | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 10:24 |
| S23 | 47686 | (method with filter).clm. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 10:25 |
| S24 | 224 | (method with filter with (instrument\$3 trace\$3)).clm. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 10:26 |
| S25 | 15153 | ((method with filter with (instrument\$3 trace\$3)) signature). clm. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 10:26 |

| S26 | . 5 | ((method with filter with (instrument\$3 trace\$3)) and signature).clm. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 11:07 |
|-----|-------|---|---|---------|----|------------------|
| S27 | 1 | "7047521".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 11:07 |
| S28 | 14 | ("5528753" "5732273" "5872909" "5996092" "6023561" "6026236" "6047390" "6164841" "6173395" "6216143" "6263488" "6351845" "6507805").PN. OR ("7047521"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 11:11 |
| S29 | 3 | S28 and breakpoint | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 11:14 |
| S30 | 8103 | breakpoint | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 11:14 |
| S31 | 15946 | breakpoint (break adj point) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/31 11:15 |
| S32 | 24 | (breakpoint (break adj point)) with call\$4 with entr\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 11:16 |
| S33 | 16 | Context with sensitive with breakpoint | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR · | ON | 2007/01/31 13:43 |
| S34 | 9 | S33 not bates.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/31 13:43 |